8 References

Algazar, M. M., Al-monier, H., El-halim, H.A. and Salem, M. E. E. K.
"Maximum power point tracking using Fuzzy logic control", ElectricalPower and Energy Systems, Vol. 39, pp. 21-28, 2012.

Bennett, T., Zilouchian, A. and Messenger, R. "Photovoltaic modeland converter topologies considerations for MPPT purposes", Solar
Energy, Vol. 86, pp. 2029-2040, 2012.

Bernardo, M. D., Garofalo, F., Glielmo, L. and Vasca, F. "Switchings,Bifurcations, and Chaos in DC-DC Converters", IEEE Transactions onCircuits and Systems-I: Fundamental Theory and Applications, Vol.45, No. 2, pp. 133-141, February 1998.

Cafagna, D. and Grassi, G. "Experimental study of dynamic behaviorsand routes to chaos in DC-DC boost converter", Chaos, Solitons andFractals, Vol. 25, pp. 499–50, 2005.

Chiang, S. J., Shieh, H. J. and Chen, M. C. "Modeling and control ofPV charger system with sepic converter", IEEE Transactions onIndustrial Electronics, Vol. 56, No. 11, pp. 4344-4353, 2009.

Chiu, C. S. "T-S fuzzy maximum power point tracking control of solarpower generation systems", IEEE Transactions on Energy Conversion,Vol. 25, No. 4, pp. 1123-1132, 2010.

Chung, H. S. H., Tse, K. K., Ron Hui, S.Y., Mok, C. M. and Ho, M. T.
"A novel maximum power point tracking technique for solar panelsusing a SEPIC or Cuk converter", IEEE Transactions on PowerElectronics, Vol. 18, No. 3, pp. 717-724, 2003.

Costa, D. B. and Duarte, C. "The ZVS-PWM Active-clamping cukconverter", IEEE Transactions on Industrial Electronics", Vol. 51,No. 1, pp. 54-60, February 2004.

Durán, E. J., Galán, M., Sidrach-de-Cardona. andAndújar, J. M.
"Measuring the I-V curve of photovoltaic generators-analyzingdifferent DC-DC converter topologies", IEEE Industrial ElectronicsMagazine, pp. 4-1, 2009.

Esram, T. and Chapman, P. L. "Comparison of photovoltaic arraymaximum power point tracking techniques", IEEE Transactions onEnergy conversion, Vol. 22, No. 2, pp. 439-449, 2007.

Iqbal, S., Ahmed, M. and Qureshi, S. A. "Investigation of chaosbehavior in DC-DC converter", World Academy of Science,Engineering and Technology, Vol. 33, pp. 291-294, 2007.

Jain, S. and Agarwal, V. "Comparison of the performance of maximumpower point tracking schemes applied to single-stage grid-connectedphotovoltaic systems", IET Electric Power, Vol. 1, No. 5, pp. 753-762,2007.

Jiang, J-A., Huang, T. L., Hsiao, Y-T., and Chen, C. H. "Maximumpower tracking for Photovoltaic power system", Tamkang Journal ofScience and Engineering, Vol. 8, No. 2, pp. 147-153, 2005.

Kavitha, A. and Uma, G. "Control of chaos in sepic DC-DCconverter", International Journal of Control, Automation, and Systems,Vol. 8, No. 6, pp. 1320-1329, 2010.

Kavitha, A. and Uma, G. "Experimental verification of hopfbifurcation in DC-DC luo converter", IEEE transactions on PowerElectronics, pp. 1-6, 2011.

Kawamura, H., Naka, K., Yonekura, N., Yamanaka, S., Kawamura, H., Ohno, H. and Naito, K. "Simulation of I-V characteristics of a PVmodule with shaded PV cells", Solar Energy Mater. Solar Cells,Vol. 75, No. 3/4, pp. 613-621, 2003.

Kottas, T. L., Boutalis, Y. S. and Karlis, A. D. "New maximum powerpoint tracker for PV arrays using fuzzy controller in close cooperationwith fuzzy cognitive networks", IEEE Transactions on EnergyConversion, Vol. 21, No. 3, pp. 793-803, 2006.

Li, H., Li, Z., Zhang, B., Wang, F., Tan, N. and Halang, W. A. "Designof analogue chaotic PWM for EMI suppression", IEEE Transactionson Electromagnetic Compatibility, Vol. 52, No. 4, 2010.

Li, H., Tang, W. K. S., Li, Z., and Halang, W. A. "A chaotic peakcurrent mode boost converter for EMI reduction and ripplesuppression," IEEE Transactions on Circuits and Systems-II, Vol. 55,No. 8, pp. 763-767, 2008.

Li, H., Zhang, B., Li, Z., Halang, W. A. and Chen, G. "ControllingDC-DC converters by chaos based pulse width modulation to reduceEMI", Chaos, Solitons and Fractals, Vol. 42, pp. 1378-1387, 2009-B.

Lim, Y. H. and Hamill, D. C. "Simple maximum power point trackerfor photovoltaic arrays", IEE Electronics Letter, Vol. 36, No. 11,pp. 997-999, 2000.

Lin, B. R. and Huang, C. L. "Zero voltage switching active clampbuck-boost stage Cuk converter", IET Electrical Power ApplicationsVol.1, pp. 173–182, 2007.

Lin, B. R. and Huang, T. S. "Zero current switching Cuk converter forpower factor correction", Electric Power Systems Research, Vol. 4,pp. 91-98, 1997.

Lin, B. R. and Huang, Y. S. "ZVS Double-Ended Cukconverter,"IEEE Transactions on Circuits and Systems-II, Vol. 57, No. 11,pp. 908-912, November 2010.

Lin, R., Huang, C. L., Chiang, H. K. "Analysis, design andimplementation of an active snubber zero-voltage switching Cukconverter", IET Power Electronics, Vol. 1, No. 1, pp. 50–61, 2008.

Liu, F., Duan, S., Liu, F., Liu, B., and Kang, Y. "Variable step sizeINC MPPT method for PV systems", IEEE Transactions on IndustrialElectronics, Vol. 55, No. 7, pp. 2622-2628, 2008.

Ma, W., Wang, M., and Li, C. "Control of bifurcation in the one cyclecontrolled Cuk converter", Nonlinear Dynamics, Vol. 67,pp. 2573-2583, 2012.

Middlebrook, R. D. "Small signal modelling of pulse width modulatedswitched mode power converters", Proceedings of the IEEE, Vol. 76,No. 4, pp. 343-354, 1988.

Morgul, O. "Wein bridge based RC chaos generator", ElectronicLetters, Vol. 31, No. 24, 1995.

Patel, H., and Agarwal, V. "MATLAB-Based modeling to study theeffects of partial shading on PV array characteristics", IEEETransactions on Energy Conversion, Vol. 23, No. 1, pp. 302-310,March 2008.

Piegari, L. and Rizzo, R. "Adaptive perturb and observe algorithm forphotovoltaic maximum power point tracking", IET Renewable PowerGeneration, Vol. 4, No. 4, pp. 317-328, 2010.

Safari, A. and Mekhilef, S. "Simulation and hardware implementationof incremental conductance MPPT with direct control method usingcuk converter", IEEE Transactions on Industrial Electronics, Vol. 58,No. 4, pp. 1154-1161, 2011.

Tse, K. K., Billy, M. T., Chung, H. S. H. and Ron Hui, S.Y."Comparative study of maximum power point trackers for Photovoltaicpanels using switching frequency modulation scheme", IEEETransactions on Industrial Electronics, Vol. 51, No. 2, pp. 410-418, 2004.

Tse, K. K., Billy, M. T., Chung, H. S. H., Ron Hui, S.Y. "A Novelmaximum power point tracker for PV panels using switchingfrequency modulation", IEEE Transactions on Power Electronics,Vol. 17, No. 6, pp. 980-989, 2002.

Tung, Y-J. M., Hu, A.P. and Nair, N-K. "Evaluation ofmicrocontroller based maximum power point tracking using DSPACEplatform," Australian University Power Engineering Conference 2006.

Veerachary, M. "Power tracking for non-linear PV sources withcoupled inductor SEPIC converter," IEEE Transactions on Aerospaceand Electronic Systems, Vol. 41, No. 3, pp. 1019-1028, 2005.

Villalva, M. G. and Ruppert, E. "Dynamic analysis of the inputcontrolled buck converter fed by a photovoltaic array", Control andAutomation, Vol. 19, No. 4, pp. 463-474, 2008.

Villalva, M. G., Gazoli, J. R. and Filho, E. R. "Comprehensiveapproach to modeling and simulation of photovoltaic arrays", IEEETransactions on Power Electronics, Vol. 24, No. 5, pp. 1198-1208,2009.

Villalva, M. G., de Siqueira, T. G. and Ruppert, E. "Voltage regulationof photovoltaic arrays: small signal analysis and controller design,"IET Power Electronics, Vol. 3, No. 6, pp. 869-880, 2010.

Walker, G. R"Evaluating MPPT converter topologies using a MATLABPV Model", Journal of Electrical and Electronics Engineering,Vol. 21, No. 1, pp. 49-56, 2001.

Walker, G. R. "Cascaded DC-DC converter connection ofphotovoltaic module", IEEE Transactions on Power Electronics,Vol. 19, No. 4, pp. 1130-1139, 2004.

Wang, Z., Chau, K. T. and Liu, C. "Improvement of electromagneticcompatibility of motor drives using chaotic PWM", IEEE Transactionof Electromagnetic Compatibility , Vol. 43, No. 6, pp. 2612-2614,2007.

Wu, T. F., Lai, Y. S., Hung, J. C. and Chen, Y. M. "Boost Converterwith coupled inductors and buck-boost type of active clamp", IEEETransactions on Industrial Electronics, Vol. 55, No. 1, 2008.

Xiao, W., Dunford, W. G., Palmer, P. R. and Capel, A. "Regulation ofphotovoltaic voltage", IEEE Transactions on Industrial Electronics,Vol. 54, No. 3, pp. 1365-1374, 2007.

Yang, Y. and Zhao, F. P. "Adaptive perturb and observer MPPTtechnique for grid connected photovoltaic inverter", Elsevier-PrccediaEngineering, Vol. 23, pp. 468-473, 2011.

Yinghua, Y., Honglin, G., Xinhua, W. and Jinfei, T. "Study on softswitching technology to reduce electromagnetic interference of PWMinverter", Energy Procedia, Vol. 17, pp. 384-390, 2012.

Zhou, X., Li, J. and Ma, Y. "Chaos Phenomena in DC-DC converterand chaos control", ProcediaEnginnering, Vol. 29, pp. 470-473,2012.